



## INSTRUCTION MANUAL

**Model RAFAG610PB**

---

**Please read this instruction manual before using your new airfryer**

The warranty repair slip is valid with the receipt of purchase, so it is recommended to keep it.

## **DEAR CUSTOMER**

---

Thank you for choosing our product

The airfryer is exceptionally easy to use and extremely efficient.  
After reading the instruction manual, operating the airfryer will be  
easy.

Before being packaged and leaving the manufacturer, the airfryer  
was thoroughly checked with regard to safety and functionality.

Before using the appliance, please read the instruction manual carefully.  
By following these instructions carefully you will be able to avoid any  
problems in using the appliance.

# Contents

Important Safety Information .....	4
Product overview .....	6
Before first use .....	7
Prepare for use .....	7
How to use .....	8
Tips .....	10
Settings .....	11
Cleaning and storage .....	11
Disposal and recycling .....	Error! Bookmark not defined.
Technical information .....	13
Аюулгүй ажиллагааны зааварчилгаа .....	16
Төхөөрөмжийн бүтэц .....	18
Анх хэрэглэхийн өмнө .....	19
Хэрэглэхэд бэлтгэх .....	19
Ашиглах заавар .....	20
Зөвлөгөө .....	22
Тохиргоо .....	23
Цэвэрлэгээ, хадгалалт .....	24
Хаях, дахин боловсруулах .....	25
Техникийн мэдээлэл .....	25

## **Important Safety Information**

Please read all the instructions before using this appliance and keep safe for future reference.

When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and / or injury to persons, including the following:

1. This appliance is not intended for use by persons ( including children ) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision and instruction concerning use of the appliance by a person responsible for their safety.
2. Children should be supervised to ensure that they do not play with the appliance.
3. Do not touch hot surface. Use handles or knobs. Use oven mitts or potholders.
4. To protect against risk of electrical shock, do not immerse appliance, cord or plug in water or other liquid.
5. Unplug from outlet when not in use and before cleaning. Allow to cool before putting on or taking parts, and before cleaning the appliance.
6. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions, or has been dropped or damaged in any manner. Supply cord replacement and repairs must be conducted by the manufacturer, its service agent, or similarly qualified persons in order to avoid a hazard. Bring it to a qualified technician for examination, repair, or mechanical adjustment.
7. Do not use outdoors or on wet surface.
8. The use of accessory attachments not recommended or sold by the appliance manufacturer may cause fire, electric shock or injury.
9. Do not let cord hang over edge of table or counter or touch hot surface.

10. Do not place on or near a hot gas or electric burner, or in a heated oven.
11. Extreme caution must be used when moving an appliance containing hot oil or other liquids.
12. Do not use appliance for other than intended purpose.
13. To disconnect, press the power button to cut off the power. Then remove the plug from wall outlet.
- 14. Do not place the appliance against a wall or directly next to other appliances. Leave at least 35cm of free space around the appliance when in use.**
- 15. Do not cover the air inlet or the outlet when the appliance is operating.**




16. ( CAUTION: HOT SURFACE ! ) The surfaces are liable to get hot during use.

**CAUTION:** After hot air frying, the outer pot, the frying basket and the cooked foods are hot. Extreme caution must be used when handling the hot outer pot / frying basket.

## **FOR HOUSEHOLD USE ONLY**

# Product overview



1 - Control panel	2 - Air outlet
3 - Power cord and plug	4 - Outer pot
5 - Cooking plate	6 - Handle
	Power button
	Start / Pause button
	Menu button
	Favorite menu
<b>DELAY</b>	Make an appointment time
	Controllable furnace lamp
	Time adjustable button
	Temperature adjustable button

## **Before first use**

1. Remove all the packing materials, stickers and labels.
2. Clean the tray and outer pot with hot water, some washing-up liquid and a non-abrasive sponge. Do not use any abrasive cleaning materials as this will damage the appliance.
3. DO NOT IMMERSE THE AIR FRYER BODY IN WATER.
4. Wipe the appliance inside and out with a soft damp cloth and dry thoroughly.

**NOTE:** You do not need to fill the outer pot with oil or tray fat as this appliance works on hot air.

## **Prepare for use**

1. Place the air fryer on a stable horizontal surface. Do not place the the appliance on non-heat-resistance surfaces.
2. Place the tray in the outer pot, then insert the outer pot into the air fryer.
3. Make sure the power cord has enough length to the power socket and there is enough good air circulation around the product
- 4.

### **WARNING**

DO NOT PLACE ON NON HEAT RESISTANT SURFACE.


MAKER SURE THERE IS AT LEAST 35CM OF FREE SPACE ALL AROUND THE AIR FRYER.

DO NOT FILL THE OUTER POT WITH OIL OR ANY OTHER LIQUID. DO NOT PUT ANYTHING ON TOP OF THE APPLIANCE.

THE AIR FRYER WILL MALFUNCTION IF THE AIR INLET IS COVERED.

## How to use

1. Carefully pull the outer pot out from the air fryer.
2. Place your food on the basket tray.



**Warning: Do not use the dishwasher to clean the outer pot. The dishwasher can only clean the frying pan.**

3. Slide the outer pot back into the air fryer.

**CAUTION: DO NOT TOUCH THE OUTER POT DURING AND SOME TIME AFTER USE, AS IT GETS VERY HOT. ONLY HOLD THE OUTER POT BY THE HANDLE.**

**NOTE:THE APPLIANCE CAN NOT WORK UNTIL THE OUTERPOT IS FULLYCLOSED.**

4. Plug the appliance to the power socket and the power button will light up in red color. Press this button , the control display, power button, start button and menu button will light up in white color. The display shows 15 minutes and 180°C as the default setting. Adjust the Time or Temp. press the button to set the time or temperature according to the ingredients. ( Refer to the "Setting" to determine the correct temperature and cooking time )
5. Press the start button to start the appliance. During the working process, when the LED [ *t u r n* ] appears and the alarm is sounded, you can shake and turn the food to make the heating more evenly.
6. Favorite Menu Operation Guide: if you want to retain this menu, press [ ] for 3 seconds and after the alarm. The favorite menu is successfully set.
7. Delay function Operation Guide: After setting the required temperature and time, press the delay button [ *DELAY* ] to enter the reservation setting, press the time plus or minus button to set the reservation time, and press the Start button [ ] to confirm. After the reservation time is over, the product will automatically start.

Note: The time adjustment range is 0.5-12H, the interval of each file is 0.5H in the range of 0.5-10H, and the interval of each file is 1H in the range of 10-12H.

**NOTE:** If the appliance is not started in 5 minutes, the appliance will enter into standby mode, press the power button  to light up the display again.

8. After the product is powered on, if the pot is not inserted, the digital tube will show OPEN, and after inserting the pot, the display will come to default interface, and the product can be used normally.
9. The timer will begin to count down when the appliance reaches the set temperature. The “MIN” symbol behind the timer will extinguish when there is only one minute left and the cooking time will count down from 60 seconds to 0. When cooking complete, the “MIN” symbol will light up again and the time show 0 on the display.
10. During the cooking operation, you can press the pause button  to stop the appliance, the timer will stop and shows the remaining time. Press this button again to continue the cooking operation.
11. This item is ONE TOUCH to choose the food menu directly ,press the food button to select the default programs for convenient operation. The display shows the programs with shinning symbols:

Those values can be changed by pressing the Time and Temp. adjustable buttons. Confirm the program by pressing the start button .

12. Your ingredients may require shaking halfway through the cooking time ( refer to the “Setting” for information ). To do this, you have two options:
  - Pull the outer pot out from the appliance by the handle directly, the appliance will stop working immediately. Shake the ingredients and then slide the outer pot back into the oil free fryer, the appliance will start working again automatically.
  - Press the pause button to stop the appliance firstly, pull the outer pot out from the appliance, shake the ingredients and then slide the outer pot back to the oil free fryer, press the pause button again to continue the cooking operation.

During the cooking process,the buzzer will sound and the LED digital tube shows turn, prompting the user to shake or trun the food.

After the end of cooking, the buzzer will sound 3 times and the LED display show OFF and the pot will be extracted and placed on the anti-hot countertop.

**NOTE:** If there is no operation within 2 minutes after cooking complete, the appliance will show the default setting on the display.

13. Check if the ingredients are ready. If they are not ready yet, slide the outer

pot back into the oil free fryer and set the timer for a few extra minutes under same temperature setting.

14. To remove small ingredients such as french fries, push out the outer pot and empty the outer pot into a bowl or onto a plate.

To remove large or fragile ingredients, use a pair of tongs to lift the ingredients out of the outer pot and place into a bowl or onto a plate.

**NOTE: Do not turn the outer pot upside down to remove ingredients, as any excess oil that has corrected on the bottom of the outer pot will leak onto the ingredients.**

**CAUTION: After hot air frying, the outer pot, the frying basket and the cooked foods are hot. Extreme caution must be used when handling the hot outer pot / basket tray.**

## Tips

- ▲ Smaller ingredients usually require a slight shorter preparation time than larger ingredients.
- ▲ For best results of smaller foods such as fries, onion rings and chicken nuggets, shake to mix the food in the basket halfway through cooking time. This can help to prevent unevenly fried ingredients.
- ▲ Add some oil to fresh potatoes for a crispy result. Fry your ingredients in the air fryer within a few minutes after you add the oil.
- ▲ Do not prepare extremely greasy ingredients such as sausages in the air fryer.
- ▲ Snacks that can be prepared in an oven can also be prepared in the air fryer.
- ▲ For French fries, use 500 grams (17 ounces ) at a time for best results.
- ▲ This oil free fryer is also great for reheating food. To reheat your food, set the timer dial up to 10 minutes

## Settings

The table below will help you select the basic settings for your food types.

**NOTE: These settings are indications only, as time adjustments will be required depending on the size and shape of the foods you are cooking.**

Ingredients	Min. to Max. Amount (gram)	Time (mins)	Temp (°C)	Tips
Thin frozen fries	300-500	7-10	200	Shake
Thick frozen fries	300-500	9-13	200	Shake
Frozen chicken nuggets	250-500	10-13	180	
Popcorn chicken	300-600	10-15	180	Shake
Shrimp	200-400	5-9	160	
Frozen steak	350-700	6-8	180	
Pork Chop	250-600	8-12	180	
Croissant	240-480	13-16	160	
Steak	250-600	6-10	180	

## Cleaning and storage

**Clean the appliance after every use and before storage.**

**There is non-stick coating on the outer pot and basket tray. Do not use metal utensils or abrasive cleaning material to clean them, as this may damage the non-stick coating.**

**The basket tray and outer pot are dishwasher safe, you can also use the dishwasher to clean them.**

1. Unplug the air fryer from the power socket and allow the appliance cool fully. You can also remove the outer pot from the

- appliance to make the appliance cool down quickly.
2. Wipe the outside of the unit housing with a damp cloth. Do not immerse unit housing in water or any other liquid and do not rinse under running water.
  3. Clean the outer pot and basket tray with hot water, some washing-up liquid and non-abrasive sponge.

**Tips: If dirt is stuck to the basket tray, or the bottom of the outer pot, fill the outer pot with hot water with some washing-up liquid. Put the basket tray in the outer pot and let the outer pot and the basket tray soak for approximately 10 mins.**

4. Clean the inside of the appliance with hot water and a non-abrasive sponge.
5. Clean the heating element with a damp cloth or a cleaning brush to remove any food residues.
6. Make sure all parts are clean and dry thoroughly before storage.

**Never store the air fryer when it is hot or wet.**

7. Store the air fryer in its box or in a clean and dry place.

## **Disposal and recycling**



Vast electrical products should not be disposed of with household waste. Please recycle where facilities exist. Check with your local authority or retailer for recycling advice.

Error code	Cause	How to do
E1	NTC open circuit: the product appears high temperature protection	1. Check whether the temperature sensor installation is firm and effective; 2. Check whether the motor is running normally
E2	NTC short circuit	Replace the temperature sensor
E3	NTC disconnect: the connection of the temperature sensing probe is disconnected or the temperature sensing probe is damaged.	1. Re-fix the NTC connection terminal 2. Replace the temperature sensor

## Technical information

Voltage and frequency	220-240V~, 50/60Hz
Heating power	1900W
Temperature range	40 - 200°C (Interval 5°C)
Time range	1 - 60 MIN (Interval 1 minute)
Outer pot capacity	9L



## ХЭРЭГЛЭГЧИЙН ГАРЫН АВЛАГА

Модел код RAFAG610PB

Хэрэглэхээс өмнө зааварчилгаатай сайн танилцана уу

---

Баталгаат засварын хуудас нь худалдан авсан барааны төлбөрийн баримтын хамт хүчинтэй тул анхаарч, хадгалахыг зөвлөж байна.

## **ХҮНДЭТ ХЭРЭГЛЭГЧ ТАНАА**

---

Манай бүтээгдэхүүнийг сонгосон танд баярлалаа.

Бүтээгдэхүүнээс авах сэтгэл ханамжийг нэмэгдүүлэх, хэрэглэгчийн аюулгүй байдал болон бүтээгдэхүүний зөв хэрэглээ, гарч болзошгүй эвдрэл гэмтлийг засварлах талаарх мэдээллийг бүтээгдэхүүн суурилуулж угсралаас өмнө гарын авлагаас үншиж танилцан, гарын авлагыг цаашдын хэрэглээнд зориулан хадгална уу.

Бүтээгдэхүүний хэрэглэхэд хялбар, хөнгөн байдал, авсаархан загвар, дизайн зэрэг давууд нь таньд таатай байдлыг мэдрүүлэх болно.

## **Аюулгүй ажиллагааны зааварчилгаа**

Энэ төхөөрөмжийг ашиглахаасаа өмнө бүх зааврыг уншиж, ирээдүйд болох эрсдэлээс хамгаална уу.

Цахилгаан хэрэгслийг ашиглахдаа галын аюул, цахилгааны гэмтэл, / эсвэл хүнд гэмтэл учрах эрсдлийг бууруулахын тулд аюулгүй ажиллагааны зааварчилгааг үргэлж дагаж мөрдөх хэрэгтэй. Үүнд:

1. Энэ төхөөрөмж нь бие махбодь, мэдрэл, оюун ухааны чадвар нь багассан, эсвэл туршлага, мэдлэг дутмаг хүмүүс болон бага насны хүүхдүүд хэрэглэхэд тохиромжгүй.
2. Хүүхдүүд төхөөрөмжтөөр тоглохгүй байх талаар хяналт тавих.
3. Халуун гадаргууд хүрч болохгүй. Зориулалтын бээлий, бариул хэрэглээрэй
4. Цахилгааны эрсдэлээс хамгаалж төхөөрөмжний залгуур, эд ангийг ус болон шингэн зүйлээс хамгаална уу.
5. Хэрэглээгүй үед болон цэвэрлэхийн төхөөрөмжийг залгуураас салгана. Төхөөрөмжийг цэвэрлэхээсээ өмнө заавал хөргөнө.
6. Төхөөрөмжийн догоилдол эсвэл залгуур, эд анги гэх мэт эвдрэл гэмтэл учирсан үед төхөөрөмжийг бүү ажиллуул. Мэргэшсэн засвар үйлчилгээний газар эсвэл нийлүүлэгчид мэдэгдэн засварчинаар янзлуулна уу.
7. Гадаа болон нойтон чийгтэй гадаргуу дээр бүү хэрэглэ.
8. Төхөөрөмжид зориулалтын бус бэхэлгээ гэх мэт дагалдах хэрэгсэл ашиглах нь гал, гэмтэл ямар нэгэн эвдрэл учруулж болзошгүй.
9. Ширээ, тавиурны ирмэг байрлуулж болохгүй.
10. Халуун, цахилгаантай эд зүйл түүний ойролцоо бүү байрлуул.
11. Зарим тохиолдолд бага зэргийн тос шингэн амтлагч хоолондоо хэрэглэх үедээ төхөөрөмжийг болгоомжтой

хөдөлгөнө үү.

12. Зориулалтын бусаар бүү ашигла.
13. Төхөөрөмжийг бүрэн утраахын тулд утраах товчийг дарж дараа нь залгуурыг нь цахилгаанаас салгана.
14. Хэрэглэх үедээ наад зах нь 35 см чөлөөт зайд төхөөрөмжийн эргэн тойронд үлдээнэ үү. Тиймээс хананд, эд зүйлд нааж байрлуулж болохгүй.
15. Төхөөрөмж ажиллаж байх үед агаарын гарцыг бүү халхалж болохгүй.






( АНХААР: ГАДАРГУУ ХАЛУУН БАЙНА! )

Хэрэглээний үед гадаргуу нь халуун болдог.

**Санамж: Халуун агаар шарсны дараа гадна тал, сагс, жигнэсэн шарсан хоол нь халуун байдаг. Халуун сав / сагсыг барихдаа туйлын болгоомжтой байх ёстой.**

## **ЗӨВХӨН ГЭР АХУЙН ЗОРИУЛАЛТААР АШИГЛАНА.**

## Төхөөрөмжийн бүтэц



<b>1 Хянах самбар</b>	<b>2 Агаарын гарц</b>
<b>3 Цахилгаан утас залгуур</b>	<b>4 Зориулалтын тогoo</b>
<b>5 Хоолны автан</b>	<b>6 Бариул</b>
	<b>Асаах товч</b>
	<b>Эхлэх/ Зогсоох товч</b>
	<b>Цэсний тохиргооны товч</b>
	<b>Өөрийн дуртай хадгаласан цэс</b>
<b>DELAY</b>	<b>Цаг товлох</b>
	<b>Шарагчийн гэрлийг удирдах</b>
	<b>Цаг тохируулах</b>
	<b>Температурыг тохируулах</b>

## **Анх хэрэглэхийн өмнө**

1. Сав баглаа боодлоос гаргана.
2. Шарах хавтан болон тогоог ус болон зориулалтын угаах шингэн ашиглан цэвэрлэнэ. Хатуу порлон, зориулалтын бус шингэн эсвэл хэт халуун ус ашиглаж болохгүй. Энэ нь тоног төхөөрөмжийг гэмтээх эрсдэлтэй.
3. Төхөөрөмжөө ашигласны дараа шууд усанд хүргэж болохгүй.
4. Зөөлөн чийгтэй даавуугаар дотор болон гаднах тоног төхөөрөмжийг арчиж, сайтар хатаана.

**АНХААРУУЛГА:** Энэ хэрэгсэл халуун агаараар шарж жигнэдэг тул зориулалтын тогоог тос, тосны агууламжтай зүйлээр дүүргэх, хэт их хэрэглэх хэрэггүй.

## **Хэрэглэхэд бэлтгэх**

1. Тосгүй шарагчийг тэгш гадаргуу дээр тавина. Шатамхай халуунд тэсвэргүй гадаргуу дээр уг төхөөрөмжийг бүү тавь.
2. Хавтанг тогоонд хийж дараа нь тогоог төхөөрөмж рүү хийнэ..
3. Төхөөрөмжний залгуур цахилгаанд хүрэх эсэх, бүтээгдэхүүний эргэн тойронд агаарын эргэлт хангалттай байгаа эсэхийг шалгаарай

### **Анхааруулга**

ДУЛААНД ТЭСВЭРГҮЙ ГАДАРГУУ ДЭЭР БҮҮ ТАВЬ.


ТОСГҮЙ ШАРАГЧИЙН ЭРГЭН ТОЙРОНД ДОР ХАЯЖ 35 СМ ЧӨЛӨӨТ ЗАЙ БАЙЛГА.

ТОГООГ ТОС ЭСВЭЛ ӨӨР ЯМАР НЭГЭН  
ШИНГЭНЭЭР БҮҮ ДҮҮРГЭ. ТОНОГ  
ТӨХӨӨРӨМЖ ДЭЭР ЮУ Ч БҮҮ ТАВЬ.

АГААРЫН ХААВАЛ ТОСГҮЙ ШАРАГЧ АЖИЛЛАХГҮЙ.

## Ашиглах заавар

- Тогоог бариулаар төхөөрөмжөөс болгоомжтой гаргана..
- Тогоонд хоолоо хий.



**Санамж: Max буюу хамгийн ихийг үзүүлсэн үзүүлэлтийн тэмдэгээс бүү давуул.**

- Зориулалтын тогоог буцаагаад тосгүй шарагч руу хийнэ.
- Тогоог зориулалтын хавтангуйгээр хэзээ ч бүү хэрэглэ.

**АНХААРУУЛГА: ТӨХӨӨРӨМЖ АЖИЛЛАХ ҮЕД МАШ ХАЛУУН БОЛДОГ ТУЛ ХЭРЭГЛЭХ ЯВЦАД БОЛОН АЖИЛЛАЖ ДУУССАНЫ ДАРАА ТОГООНД БҮҮ ХҮР. ЗӨВХӨН БАРИУЛЫГ АШИГЛА.**

**ЖИЧ: ТӨХӨӨРӨМЖ БҮРЭН БҮТЭН БАЙХ ХҮРТЭЛ АЖИЛЛАХ БОЛОМЖГҮЙ.**

- Төхөөрөмжийг цахилгааны залгуурт залгахад цахилгаан Ⓛ товч улаан өнгөөр асна. Энэ товчийг дарснаар хяналтын дэлгэц, асаах товч, эхлүүлэх товч, цэсийн товчлуурууд цагаан өнгөтэй болно. Дэлгэц нь анхдагч тохиргоогоор 15 минут, 180°C-г харуулна. Цаг эсвэл Температурыг тохируулна уу. ⌂ ⌃ товчийг дарж найрлагын дагуу цаг эсвэл температурыг тохируулна уу. (Зөв температур болон хоол хийх хугацааг тодорхойлохын тулд "Тохирго" хэсгээс үзнэ үү)
- Төхөөрөмжийг эхлүүлэхийн тулд эхлүүлэх товчийг ►|| дарна уу. Ажлын явцад LED [ ⚡ ] гарч, дохиолол дуугарах үед та хоолыг сэгсэрч, эргүүлж халаалтыг жигд болгох боломжтой.
- Дуртай цэсний заавар: Хэрэв та энэ цэсийг хадгалахыг хүсвэл сэргүүлгийн дараа 3 секундын турш [ ⭐ ] дарна уу. Дуртай цэсийг амжилттай тохирууллаа
- Хойшлуулах цэсний заавар: Шаардлагатай температур, цаг тохирулсны дараа хойшлох товчийг [DELAY] дарж нөөц тохиргоо руу орно. Хадгалах хугацааг тогтоохын тулд цаг нэмэх эсвэл хасах товчийг дарж, [ Эхлэх товчийг ] ►|| дарж баталгаажуулна. Хадгалах хугацаа дууссаны дараа бүтээгдэхүүн автоматаар эхэлнэ.

**Тайлбар:** Цагийн тохиргооны хэмжээ нь 0.5-12цаг, файл тус бүрийн интервал нь 0.5-10 цагийн хэмжээнд 0.5цаг байх ба файл бүрийн завсар нь 10-12цаг хэмжээтэй 1Н байна.

**ТАЙЛБАР:** Хэрэв төхөөрөмжийг 5 минутын дотор асаагаагүй бол төхөөрөмж зогсолтын горимд шилжих бөгөөд асаах ⏪ товчийг дарж дэлгэцийг дахин асаана.

8. Бүтээгдэхүүнийг асаасны дараа савыг оруулаагүй тохиолдолд дижитал хоолой нь НЭЭЛТТЭЙ гэж харуулах ба савыг оруулсны дараа дэлгэц нь анхдагч интерфейс рүү орж, бүтээгдэхүүнийг хэвийн ашиглах боломжтой болно.
9. Төхөөрөмж тогтоосон температурт хүрэхэд цаг тоолж эхэлнэ. Таймерын ард байрлах "MIN" тэмдэг ганцхан минут үлдсэн үед унтарч, хоол хийх хугацаа 60 секундээс 0 хүртэл тоологдох болно. Хоол хийж дуусахад "MIN" тэмдэг дахин асч, цаг 0-г харуулна. харуулах.
10. Хоол хийх явцад та түр зогсоох товчийг ► дарж төхөөрөмжийг зогсоох боломжтой бөгөөд цаг ч мөн зогсох бөгөөд хоол хийх үлдсэн хугацааг харуулна. Хоол хийх үйлдлийг үргэлжлүүлэхийн тулд энэ товчлуурыг дахин дарна уу.
11. . Хоол хийх явцад та түр зогсоох товчийг дарж төхөөрөмжийг зогсоох боломжтой бөгөөд таймер зогсох бөгөөд үлдсэн хугацааг харуулна. Хоол хийх үйлдлийг үргэлжлүүлэхийн тулд энэ товчлуурыг дахин дарна уу
12. Таны орцуудыг хоол хийх цагийн хагаст сэгсрэх шаардлагатай байж магадгүй (мэдээлэл авах бол "Тохиргоо" хэсгээс үзнэ үү). Үүнийг хийхийн тулд танд хоёр сонголт байна:
  - Гадах савыг бариулаас нь шууд татаж авбал төхөөрөмж тэр даруй ажиллахаа болино. Бүрэлдэхүүн хэсгүүдийг сэгсэрч, дараа нь гаднах савыг тосгүй хайруулын тавган дээр шургуулна, төхөөрөмж дахин автоматаар ажиллаж эхэлнэ.
  - Түр зогсоох товчийг дарж эхлээд төхөөрөмжийг зогсоож, гаднах савыг төхөөрөмжөөс гаргаж, орцыг нь сэгсэрч, дараа нь гаднах савыг буцаан тосгүй хайруулын тавган дээр шургуулж, хоол хийх үйлдлийг үргэлжлүүлэхийн тулд түр зогсоох товчийг дахин дарна уу.

Хоол хийх явцад дуут дохио дуугарах ба дижитал дижитал хоолой эргэхийг харуулж хэрэглэгчийг хоолыг сэгсрэх эсвэл тайрахад хүргэдэг.

Хоол хийж дууссаны дараа дуут дохио 3 удаа дуугарч, LED дэлгэц унтарч, савыг гаргаж аваад халууны эсрэг тавцан дээр тавина.

**ТАЙЛБАР:** Хэрэв хоол хийж дууссанаас хойш 2 минутын дотор ямар ч үйлдэл хийхгүй бол төхөөрөмж дэлгэц дээр анхдагч тохиргоог

харуулах болно.

13. Найрлага бэлэн байгаа эсэхийг шалгана уу. Хэрэв тэдгээр нь хараахан бэлэн болоогүй бол гаднах савыг тосгүй хайрууллын тавган дээр шургуулж, ижил температурт таймерыг хэдэн минутын турши тохируулна уу.
14. Шарсан төмс гэх мэт жижиг орцуудыг арилгахын тулд гаднах савыг түлхэж, гаднах савыг аяга эсвэл таваг руу хийнэ.

Том эсвэл эмзэг найрлагыг арилгахын тулд хавчаар ашиглан найрлагыг гаднах савнаас гаргаж аваад аяга эсвэл тавган дээр хийнэ.

**СЭРЭМЖЛҮҮЛЭГ: Халуун агаар шарсны дараа тогоо, хавтан, дөнгөж болсон хоол нь халуун байдаг тул хавтан/ тогоог барихдаа туйлын болгоомжтой байх ёстой.**

## ЗӨВЛӨГӨӨ

- ▲ Жижиг хэмжээтэй нь ихэвчлэн том орцуудаас арай богино хугацаанд болдог.
- ▲ Шарсан төмс, сонгино, тахианы нугас зэрэг жижиг хоол хүнсийг гүйцэд болгохын тулд тогоон дахь хоолыг, хоолны явц дундуур холих хутгах эргүүлэх хэрэгтэй. Энэ нь жигд бус болсон хоолноос сэргийлэхэд тустай.
- ▲ Хэт цардуултай төмснүүдэд бага зэргийн тос нэмнэ. Тосоо нэмснээс хойш хэдхэн минутын дараа хоолоо шарах шүүгээнд шарна.
- ▲ Шарах шүүгээнд хэт тослог хиам, зайдас бүү хийгээрэй.
- ▲ Мөн зууханд хийж болох зуушийг тосгүй шарах шүүгээнд бэлтгэж болно.
- ▲ Франц шарсан төмсний хувьд нэг удаад 500 граммыг бэлтгэх нь хамгийн сайн үр дүнд хүрнэ.
- ▲ Энэ тосгүй шарагч нь мөн хоол хүнсийг дахин халааж өгнө. Хоолоо дахин халаахын тулд цагийг 10 минут дээр тавина.

## Тохиргоо

Доорх хүснэгт нь хоолны төрлүүдийнхээ үндсэн тохиргоог сонгоход тань тусална.

**Санамж:** Эдгээр тохиргоо нь зөвхөн үзүүлэлтийг харуулж байна. Хоол нь хэмжээ, хэлбэрээс хамааран өөрөө цагаа тохируулах шаардлага гарч болно.

Бүтээгдэхүүн	Хэмжээ Багас их рүү (грамм)	Цаг (минут)	Темпратур (°C)	Зөвлөгөө
Нимгэн хөлдөөсөн шарсан төмс	300-500	7-10	200	Сэгсэргч, хутгах
Зузаан хөлдөөсөн шарсан төмс	300-500	9-13	200	Сэгсэргч, хутгах
Хөлдөөсөн тахианы наггетс	250-500	10-13	180	
Попкорн тахиа	300-600	10-15	180	Сэгсэргч, хутгах
Сам хорхой	200-400	5-9	160	
Шоо хэлбэртэй тахиан мах	350-700	6-8	180	
Шоо хэлбэртэй гахайн мах	250-600	8-12	180	
Нарийн боов жигнэмэг	240-480	13-16	160	
Стейк	250-600	6-10	180	

## Цэвэрлэгээ, хадгалалт

Хэрэглэх бүрийн дараа болон хадгалахын өмнө тоног төхөөрөмжийг цэвэрлэнэ.

Тогоо, хавтан нь гадуураа бүрхүүлтэй байдаг. Төмөр порлон, хатуу цэвэрлэгээний материал бүү хэрэглэ. Энэ нь бүрхүүлийг гэмтээж болзошгүй.

Хавтан, тогоог аяга таваг угаагч ашиглан цэвэрлэж болно.

1. Тосгүй шарагчийг цахилгаанаас салгаж, төхөөрөмжийг бүрэн хөргөх боломжийг олго. Мөн төхөөрөмжийг хурдан хөргөхийн тулд тогоог төхөөрөмжөөс салгаж авч болно.
2. Их биеийн гадна хэсгийг чийгтэй даавуугаар арчина. Их биеийг усанд болон өөр ямар нэгэн шингэнд бүү угаа.
3. Тогоо, хавтанг хэт халуун усаар цэвэрлэж болохгүй.

**Зөвлөгөө:** Хэрэв хавтан, тогооны ёроолд наалдсан бохирдол зэргийг ямар нэг угаалгын шингэнээр бүлээн усаар дүүргэж дэвтээнэ. 10 минутаас илүү хугацаанд усанд байлгаж болохгүй.

1. Ахуйн хэрэглээний дотор хэсгийг халуун ус, абрасс биш ширлогоор цэвэрл.
2. Төхөөрөмжийн дотор талыг халуун ус, зөөлөн хөвөн угаагч ашиглан цэвэрлэнэ.
3. Төхөөрөмжийг хадгалахаас өмнө бүх хэсгүүд цэвэр, хуурай байгаа эсэхийг шалгаарай.

**Хэт халуун эсвэл нойтон газар тосгүй шарагчийг хэзээ ч бүү хадгал.**

4. Тосгүй шарагчийг хайрцганд нь эсвэл цэвэр, хуурай газарт хадгалн

## Хаях, дахин боловсруулах



Хаягдал цахилгаан бүтээгдэхүүнийг ахуйн хог хаягдалтай хамт хаяж болохгүй. Дахин боловсруулах газарт өгнө үү. Дахин боловсруулах талаар зөвлөгөө авахын тулд худалдан авсан газраасаа лавлана уу.

## Техникийн мэдээлэл

Хүчдэл ба давтамж	220-240В~, 50/60Гц
Халаалтын хүчин чадал	1900Вт
Температурын хэмжээ	40 - 200°C (Завсарлага 5°C)
Цаг хугацаа	1 - 60 Минут (Завсарлага 1 минут)
Тогооны багтаамж	9Л